

Exhibit B

DATE: [REDACTED]

TOPIC: 18D

CP 76

3 Pairs of Rats

with 3 TMS cages for 19 days

5% of total (3) contraindicated in dogs

Rest and work

one in each cage

2 Pairs → Pumps installed in [REDACTED]

used 250 ml barrels

model # 2991

→ [REDACTED] [REDACTED] [REDACTED]


mean fill vol = 245 ml

mean Pumping = .482 ml/hr


[REDACTED]

Proceed for Close


**C-fos Immunoreactivity in the Hypothalamus is modulated
by IBD and Oxytocin / Secretin Treatment**




cp76 **IBD - Control - Untreated**




Cp76 **IBD - Experimental - Untreated**




cp76 **IBD - Control - Saline Treatment**



cp76 **IBD - Experimental - Saline Treatment**




cp76 **IBD - Control - Secretin / Oxytocin Treatment**




cp76 **IBD - Experimental - Secretin / Oxytocin Treatment**


**C-fos Immunoreactivity in the Hypothalamus is modulated
by IBD and Oxytocin / Secretin Treatment**




cp76 **IBD - Control - Untreated**




Cp76 **IBD - Experimental - Untreated**




cp76 **IBD - Control - Saline Treatment**



cp76 **IBD - Experimental - Saline Treatment**




cp76 **IBD - Control - Secretin / Oxytocin Treatment**




cp76 **IBD - Experimental - Secretin / Oxytocin Treatment**


**C-fos Immunoreactivity in the Hypothalamus is modulated
by IBD and Oxytocin / Secretin Treatment**




cp76 **IBD - Control - Untreated**




Cp76 **IBD - Experimental - Untreated**




cp76 **IBD - Control - Saline Treatment**



cp76 **IBD - Experimental - Saline Treatment**



cp76 **IBD - Control - Secretin / Oxytocin Treatment**



cp76 **IBD - Experimental - Secretin / Oxytocin Treatment**